BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA7582**

SAMPLE RECEIVED
August 11, 2026

COA ISSUED
August 17, 2026

SAMPLE INFORMATION

Vendor
American Peptides

Sample Name
Tirzepatide 20mg

Sample Type
White lyophilized powder

Lot Number
BP15-0803

MW (g/mol)
4813.5

ANALYTICAL METHODS

Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: Tirzepatide	Tirzepatide	LC-MS/MS	✓ Conforms
Content	20.36 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.83%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/mL	<USP85>	✓ Conforms
Heavy Metals	<0.01 ppm	<USP232>	✓ Conforms

HPLC Chromatogram · Retention Time 11.899 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.